

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	794	(helical sprial curly) same (extrudate extruder)and "425"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 15:36
L2	429	(helical sprial curly) with(extrudate extruder)and "425"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 15:37
L3	122	(helical sprial curly) same(extrudate)and "425"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 15:43
L4	115	(helical sprial curly) same(extrudate)and "264"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 16:39
L5	197	(264/209.4).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 16:39
S29	2	"1993709".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 12:45
S30	1	("1993709").URPN.	USPAT	OR	ON	2005/07/12 17:03
S31	147	extruder same flap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:20
S32	207	extruder and flap and "264"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:26
S33	0	extruder and (flap flapper) and "264"/209.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 10:20
S34	1	extruder and (flap flapper) and "264"/209.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:22

S35	6	extruder and (flap flapper) and "264"/210.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:22
S36	12	extruder and (flap flapper) and "264"/210.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:23
S37	0	extruder and (flap flapper) and "425"/318.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:24
S38	1	extruder and (flap flapper) and "425"/320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:25
S39	5	extruder and (flap flapper) and "425"/382.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:24
S40	3	extruder and (flap flapper) and "425"/319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:24
S41	15	extruder same tine and "264"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/30 14:27
S42	192	extruder and sizing and (flap flapper seal) and "425"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 10:21
S43	257	extruder and (sizing calibration) and (flap flapper seal) and "425"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 10:29
S44	12	("3274313"   "3795471"   "4124344"   "4329314"   "4508500"   "4707393"   "5340295"   "5607638"   "5645861"   "5807516"   "6368098").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 10:26

S45	103	extruder and (sizing calibration) and (flap flapper seal) and "426"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 10:29
S46	2661	(helical sprial curly) same (extrudate extruder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 12:46
S47	109	(helical sprial curly) same (extrudate extruder)and "426"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/31 15:36